

# Safety Data Sheet

Hydrion<sup>®</sup> pH and sanitizer test kits since 1934

Issue Date: 04-Mar-2009

Revision Date: 12-Aug-2019

Version 2

# **1. IDENTIFICATION**

Product identifier Product Name	HYDRION COLOR SAFE BUFFER pH-10.00		
Other means of identification SDS #	MEL-008		
Recommended use of the chemical	and restrictions on use		
Recommended Use	For preparation of buffer standards in distilled water.		
Details of the supplier of the safety Supplier Address MICRO ESSENTIAL LABORATORY, I PO BOX 100824, 4224 AVENUE H BROOKLYN, NY 11210			
Emergency telephone number			
Company Phone Number	PHONE: 718-338-3618 FAX: 718-692-4491 (8:00AM TO 4:00PM EASTERN STANDARD TIME)		
Emergency Telephone	INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)		
2. HAZARDS IDENTIFICATION			

Appearance Light blue powder

Physical state Solid

Odor Odorless

**Classification** 

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2

Signal Word Warning

<u>Hazard statements</u> Harmful if inhaled Causes serious eye irritation



Precautionary Statements - Prevention Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Wash face, hands and any exposed skin thoroughly after handling Wear eye protection/ face protection

#### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%
Sodium carbonate	497-19-8	50-69.5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash affected areas thoroughly with soap and water for at least 15 minutes. Get medical attention if necessary.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is difficult, give oxygen. Call a poison center or doctor/physician if you feel unwell.
Ingestion	Drink plenty of water. Do not induce vomiting without medical advice. Get medical attention if necessary.
Most important symptoms a	nd effects, both acute and delayed
Symptoms	Dust may be irritating to eyes. Prolonged skin contact may cause skin irritation or allergic reaction. The eye irritation may be severe. Ingestion can irritate stomach and cause mouth burns. Prolonged exposure by inhalation may cause irritation of the nose, throat and

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

respiratory tract. Prolonged exposure to BULK POWDER may cause irritation to the eyes,

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

skin and respiratory system.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Non-flammable.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not release runoff from fire control methods to sewers or waterways.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required. Keep unnecessary people away, isolate hazard area and deny entry. Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only.
For Emergency Responders	Follow applicable OSHA regulations (29 CFR 1910.120).
Environmental precautions	
Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.
Methods and material for containm	ent and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Clean-Up	Cover spilled material with a dry acid, such as Citric or Boric. Scoop up into a large beaker. Adjust pH between 6 and 9 with a diluted acid, such as Sulfuric or Citric. Flush reacted material to the drain with a large excess of water but ONLY if permitted by local authorities and regulations. If not permitted, must be disposed of as a RCRA waste.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid breathing dusts. Use only with adequate ventilation. Wash face, hands and any exposed skin thoroughly after handling. The following precautions pertain only to BULK POWDER handling: Ventilation: Use adequate general or local ventilation to keep fume and dust levels as low as possible Respiratory Protection: Use NIOSH approved dust respirator when handling bulk powder Eye Protection: Chemical splash goggles with side shields when handling bulk powder Gloves: Natural rubber, butyl neoprene or equivalent. Wear full cover clothing when handling bulk powder. Avoid contact with skin, eyes or clothing. Do NOT take internally.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Avoid excessive temperatures & high humidity.
Incompatible Materials	Hazardous reaction in aqueous solution may occur with strong acid, aluminum, fluorine.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# phosphorus pentoxide and ammonium phosphate monobasic.

# **Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies

#### Appropriate engineering controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.
	Local exhaust ventilation recommended.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Refer to 29 CFR 1910.133 for eye and face protection regulations. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with, contact lenses.
Skin and Body Protection	Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact.
Respiratory Protection	Seek professional advice prior to respirator selection and use. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. WARNING!: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. If respirators are used, OSHA requires a written respiratory program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.
General Hygiene Consideration	ns Handle in accordance with good industrial hygiene and safety practice. Contaminated

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment. Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Appearance Color	Solid Light blue powder Light blue	Odor Odor Threshold	Odorless Not determined
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas)	<u>Values</u> 10.00 Not determined 100 °C / 212 °F Non-flammable Not determined Not determined	<u>Remarks • Method</u>	
Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive limits	Not determined		
Vapor Pressure Vapor Density Relative Density	Not determined Not determined ~1	@ 60°F (ASTM D 1298)	
Water Solubility Solubility in other solvents Partition Coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Miscible in water Not determined Not determined Not determined Not determined Not determined Not determined Not determined		
Other information Molecular weight	Sodium Carbonate 105.99 grams		

Sodium Bicarbonate 84.01 grams

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

See below - Incompatible Materials.

#### Hazardous Polymerization

Hazardous polymerization does not occur.

#### Conditions to Avoid

Keep out of reach of children.

#### **Incompatible materials**

Hazardous reaction in aqueous solution may occur with strong acid, aluminum, fluorine, phosphorus pentoxide and ammonium phosphate monobasic.

#### Hazardous decomposition products

Toxic fumes of carbon monoxide or irritant smoke.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Avoid contact with skin.
Inhalation	Harmful if inhaled.
Ingestion	May be harmful if swallowed.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate 497-19-8	= 4090 mg/kg(Rat)	-	-
Sodium Bicarbonate 144-55-8	= 4220 mg/kg (Rat)	-	-
Methyl Paraben 99-76-3	= 2100 mg/kg (Rat)	-	-

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

#### Numerical measures of toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document .

Oral LD50 4,161.80 mg/kg ATEmix (inhalation-dust/mist) 1.51 mg/L

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sodium carbonate	242: 120 h Nitzschia mg/L EC50	300: 96 h Lepomis macrochirus	265: 48 h Daphnia magna mg/L
497-19-8		mg/L LC50 static 310 - 1220: 96 h	EC50
		Pimephales promelas mg/L LC50	
		static	
Sodium Bicarbonate	650: 120 h Nitzschia linearis mg/L	8250 - 9000: 96 h Lepomis	2350: 48 h Daphnia magna mg/L
144-55-8	EC50	macrochirus mg/L LC50 static	EC50
Methyl Paraben		59.5: 96 h Oryzias latipes mg/L	
99-76-3		LC50 semi-static	

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### **Mobility**

Not determined

#### Other Adverse Effects

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

## California Hazardous Waste Status

Chemical name	California Hazardous Waste Status		
Sodium carbonate	Corrosive		
497-19-8			

# **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated

#### IMDG

Not regulated

# 15. REGULATORY INFORMATION

#### International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium carbonate	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Sodium Bicarbonate	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Methyl Paraben	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
F.D.&C blue dye	Х	ACTIVE	Х	Х	Х	Х		Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

16. OTHER INFORMATION						
<u>NFPA</u>	Health Hazards	Flammability	<b>Instability</b> 0	Special Hazards		
<u>HMIS</u>	Health Hazards	Flammability	<b>Physical hazards</b> 0	Personal Protection Not determined		
Issue Date: Revision Date: Revision Note:	04-Mar- 12-Aug- Regulat					

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet